




















Meet Our Table Mounts

| TABLE STANDS <i>Transportable, height-adjustable and standing stable on even or uneven surfaces.</i>  | TS-XL  | TS-GO  | TS-DC  | TS-UC  | TS-FT  |
|---|---|--|---|---|---|
| FEATURES | | | | | |
| Method of Device Position Adjustment | QuickShift levers | Quickshift levers | QuickShift levers | Quickshift levers | Hinged for multiple angles Lockable hinge joint |
| Device Height | 37-50cm | Up to 49cm | Up to 18cm | Up to 18cm | N/A |
| Load Capacity | 7.5kg | 7.5kg | 2.5kg | 2.5kg | N/A |
| Weight | 1.25kg | 1.2kg | 0.6kg | | 0.345kg |
| Price | \$905.00 | \$805.00 | \$750.00 | \$750.00 | \$135 |
| Other Notes | Ideal for eye gaze devices Levelling mechanism | Comes with carry bag Ideal for transitions between different sites | Ideal for touch devices Folds flat | Ideal for touch devices Folds flat SLS version | Width 25mm and 10mm Highly transportable |
| <p><i>All Rehadapt products are compliant with the ISO 14971:2019 Standard. Declarations of Conformity are in place for all products. Rehadapt is ISO certified (23 March 2021). ISO Norm: DIN EN ISO 13485. All mounts come with 2 years warranty.</i></p> | | | | | |

| TABLE CLAMPS M3D <i>Sturdy and adjustable options that save space on a desk/table surface.</i>  | ClampOnMount  | TC  | ClampOnMount Dual SC  |
|---|--|--|--|
| FEATURES | | | |
| Method of Device Position Adjustment | QuickShift levers | QuickShift levers | QuickShift levers |
| Device Height | 79cm | 31cm | 75cm |
| Load Capacity | 5.4kg | 5kg | 5.4kg |
| Weight | 1.5kg | 1.08kg | 1.5kg |
| Price | \$895.00 | \$750.00 | \$1395.00 |
| Other Notes | Two tube system for greater height and flexibility | Single tube system | Ideal for corner mounting |
| <p><i>All Rehadapt products are compliant with the ISO 14971:2019 Standard. Declarations of Conformity are in place for all products. Rehadapt is ISO certified (23 March 2021). ISO Norm: DIN EN ISO 13485. All mounts come with 2 years warranty.</i></p> | | | |

| TABLE CLAMPS Floating (OneHand) <i>Keeps devices "floating" for easy repositioning. Device can be moved 90° vertically and 360° horizontally.</i>  | TC-OH  | TC-OH-HD  | TC-OH Light  |
|---|---|--|---|
| FEATURES | | | |
| Method of Device Position Adjustment | One-hand floating mechanism | One-hand floating mechanism | One-hand floating mechanism |
| Device Height | 50cm | 50cm | 50cm |
| Load Capacity | 2-6kg | 6-11kg | 0.7-3kg |
| Weight | 3.21kg | 3.21kg | 3.21kg |
| Price | \$1175.00 | \$1290.00 | \$1175.00 |
| <p><i>All Rehadapt products are compliant with the ISO 14971:2019 Standard. Declarations of Conformity are in place for all products. Rehadapt is ISO certified (23 March 2021). ISO Norm: DIN EN ISO 13485. All mounts come with 2 years warranty.</i></p> | | | |

| TABLE CLAMPS L3D <i>Sturdy and adjustable options for smaller, lightweight devices.</i>  | TD L3D FM UDS/SLS  | TC L3D 1QS UDS/SLS  | TC L3D 2QS UDS/SLS  | TC L3D 3QS UDS/SLS  |
|---|---|---|--|--|
| FEATURES | | | | |
| Method of Device Position Adjustment | Gooseneck QuickShift Lever | QuickShift Lever | QuickShift Levers | QuickShift Levers |
| Device Height | 31cm | 31cm | 50cm | 60cm |
| Load Capacity | 1.2kg | 1.2kg | 1.2kg | 1.2kg |
| Weight | 1.05kg | 0.95kg | 1.15kg | 1.47kg |
| Price | \$530.00 | \$595.00 | \$735.00 | \$885.00 |
| <p><i>All Rehadapt products are compliant with the ISO 14971:2019 Standard. Declarations of Conformity are in place for all products. Rehadapt is ISO certified (23 March 2021). ISO Norm: DIN EN ISO 13485. All mounts come with 2 years warranty.</i></p> | | | | |